PURESAN 3D ACID

Page: 1

Compilation date: 29/01/2018

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: PURESAN 3D ACID

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: Central Chemical Supplies Limited

44 Hall Road Donaghcloney Craigavon Down BT66 7LJ United Kingdom Tel: 02838 881936 Fax: 02838 882335 Email: Frances@ccsni.co.uk

1.4. Emergency telephone number

Emergency tel: 0044 7872501842

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1A: H314

Most important adverse effects: Causes severe skin burns and eye damage.

2.2. Label elements

Label elements:

Hazard statements: H314: Causes severe skin burns and eye damage.

Hazard pictograms: GHS05: Corrosion



Signal words: Danger

 Precautionary statements:
 P260: Do not breathe dust/fumes/gas/mist/vapours/spray.

 P280: Wear protective gloves/protective clothing/eye protection/face protection.

 P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

 P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

PURESAN 3D ACID

Page: 2

P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

METHANESULPHONIC ACID

EINECS	CAS	PBT / WEL	CLP Classification	Percent
200-898-6	75-75-2	-	Skin Corr. 1B: H314	18.000%
FORMIC ACID)			1
200-579-1	64-18-6	-	Skin Corr. 1A: H314	11.900%
CENTRADET	N237/9			
931-954-4	160901-19-9	-	Acute Tox. 4: H302; Eye Dam. 1: H318; Aquatic Chronic 3: H412	1.100%
HEDP 60				
220-552-8	2809-21-4	-	Met. Corr. 1: H290; Acute Tox. 4: H302; Eye Dam. 1: H318	1.000%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin.		
	Drench the affected skin with running water for 10 minutes or longer if substance is still		
	on skin. Transfer to hospital if there are burns or symptoms of poisoning.		
Eye contact:	Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist		
	examination.		
Ingestion:	Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10		
	minutes. If unconscious, check for breathing and apply artificial respiration if necessary.		
	If unconscious and breathing is OK, place in the recovery position. Transfer to hospital		
	as soon as possible.		
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. If		
	unconscious and breathing is OK, place in the recovery position. If conscious, ensure		
	the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and		
	provide oxygen if available. Transfer to hospital as soon as possible.		

PURESAN 3D ACID

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

to cool containers

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

PURESAN 3D ACID

Page: 4

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

FORMIC ACID...100%

Workplace exposure limits:	
----------------------------	--

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	9.6 mg/m3	-	-	-

Respirable dust

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Viscosity: Non-viscous

Flash point°C: >93

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

pH: 1

PURESAN 3D ACID

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

METHANESULPHONIC ACID

ORL	RAT	LD50	200	mg/kg
SKN	GPG	LD50	>2	gm/kg

FORMIC ACID...100%

IVN	MUS	LD50	145	mg/kg
ORL	MUS	LD50	700	mg/kg
ORL	RAT	LD50	1100	mg/kg

CENTRADET N237/9

DERMAL	RBT	LD50	>2000	mg/kg
ORAL	RAT	LD50	>300-2000	mg/kg

HEDP 60

DERMAL	RBT	LD50	>7940	mg/kg
ORAL	RAT	LD50	2400	mg/kg

Page: 5

PURESAN 3D ACID

Page: 6

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure			
Skin contact:	Blistering may occur. Progressive ulceration will occur if treatment is not immediate.		
Eye contact:	Corneal burns may occur. May cause permanent damage.		
Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be			
	bleeding from the mouth or nose.		
Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may			
	cause coughing or wheezing.		
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.		
Section 12: Ecological information			

12.1. Toxicity

Hazardous ingredients:

CENTRADET N237/9

Daphnia magna 48H EC50 1-10 mg/l	
--	--

HEDP 60

BLUEGILL (Lepomis macrochirus)	96H LC50	868	mg/l
Daphnia magna	48H EC50	527	mg/l
GREEN ALGA (Selenastrum capricornutum)	96H ErC50	3	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	368	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

PURESAN 3D ACID

Page: 7

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national

Marine pollutant: No

regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN3264

14.2. UN proper shipping name

Shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

14.3. Transport hazard class(es)

Transport class: 8

14.4. Packing group

Packing group: |

14.5. Environmental hazards

Environmentally hazardous: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 1

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

 Other information:
 This safety data sheet is prepared in accordance with Commission Regulation (EU) No

 2015/830.
 * indicates text in the SDS which has changed since the last revision.

 Phrases used in s.2 and s.3:
 H290: May be corrosive to metals.

 H302: Harmful if swallowed.
 H314: Causes severe skin burns and eye damage.

 H318: Causes serious eye damage.
 H318: Causes serious eye damage.

 H412: Harmful to aquatic life with long lasting effects.
 [cont...]

PURESAN 3D ACID

 Legal disclaimer:
 The above information is believed to be correct but does not purport to be all inclusive

 and shall be used only as a guide. This company shall not be held liable for any

 damage resulting from handling or from contact with the above product.

[final page]

Page: 8