Buyrite Solutions

Old Dublin Road Enniscorthy Co.Wexford Y21 Y9E4 (053) 923 6240

BUYRITE

# JUNE NEWSLETTER

Page 1 : Fly Control

Page 2: Fencing

Page 3 : Worm Control

Page 4 : Special Offer

Page 5 : Summer Mastitis

Page 6 : Grassland Spray

Page 7: IBR Vacci<u>ne</u>

Page 8 : Parlour Essentials

Page 9: Silage Essentials

Page 10: Hoofcare

## Fly Control in Dairy Cows: Understanding Your Pour On Options

With summer nearing, fly control is vital in dairy herds. Flies cause stress in cows, lower milk yields and spread diseases like mastitis. Fly Pour's are a popular solution, typically containing either Deltamethrin or Cypermethrin.

### Deltamethrin vs. Cypermethrin: What's the Difference?

Both Deltamethrin and Cypermethrin belong to the pyrethroid class of insecticides and are effective against a wide range of flying and biting insects. However, they have some differences that may influence which product you choose:

### 1. Deltamethrin

Mode of Action: Deltamethrin works by disrupting the nervous system of insects, leading to rapid knockdown and death.

Speed: Known for its fast-acting effect, often killing flies on contact. Persistence: Offers good residual activity, typically lasting for up to 4–5 weeks depending on environmental conditions.

Use Case: Ideal for high-pressure fly periods, where quick knockdown is critical.

### 2. Cypermethrin

Mode of Action: Similar in action, it also targets the nervous system, but tends to have slightly slower knockdown than Deltamethrin.

Duration: Often provides a shorter duration of protection (2–3 weeks),

meaning it may require more frequent application.

Repellency: Offers excellent repellent properties, helping reduce fly landings and biting.

Use Case: Well-suited for ongoing fly prevention in moderate fly pressure situations.



Cypermethrin



Deltamethrin

## **Pigtail Posts**







- 10 inches of white plastic insulation to give you more room to move them without getting shocked.
- The insulation is also capped at the top to prevent shocks from there too.
- The foot is crimped to the post to ensure there's no slip.



## Worm Control in Youngstock: A June Priority

As calves and youngstock spend more time on pasture, the risk of gut worm and lungworm infections rises. These parasites can significantly impact growth rates, immunity, and overall health if left unchecked.

## **Best Practice Worming Tips**

- Start Monitoring Now: Faecal egg counts can help identify if and when treatment is needed. **This service is available at Buyrite Solutions**
- Target the Right Animals: Focus on calves and yearlings, especially those grazing paddocks previously used by older stock.
- Choose the Right Product: Use a wormer that covers both gut worms and lungworm. Your vet or advisor can guide you based on pasture risk and previous farm history.
- Rotate Actives: Avoid resistance by rotating between different active ingredient where possible. i.e moxidectin vs eprinomectin
- Don't Forget Follow-Up: A second dose may be required depending on pasture contamination and product duration.


### **Preventative Measures**

- Avoid overstocking pastures.
- Consider "clean grazing" with silage aftermath.
- Ensure good nutrition to support immunity.

# Worm Testing with the Micron Kit

The Faecal Test (Worms) is a rapid dung sampling service that provides you with informative data on your livestock. It tests for any worms that are present in your animals dung. It not only saves both time and money but it helps your livestock reach their full performance potential.

SAMPLES SENT IN VIA POSTAL SERVICE



## Cydectin 10% LA 50ml

Cydectin 10% LA is a single dose long acting injection used for the treatment and control of both internal and external parasites. Cydectin 10% LA specifically targets mature and immature stomach & gut worms, lung worms, warbles, lice and mange mites. A single dose of Cydectin 10% LA's specially designed long acting formula can last an entire grazing season. This leads to both time and money being saved by not having to dose mid season.

Treats and Controls: mature and immature stomach worms, lung worms, warbles, lice and mange mites

Administration Method: Subcutaneous injection (under the skin)

Withdrawal Time: 108 days for animals intended for meat and offal, Not permitted for use on animals producing milk for human consumption.

Dosage: 0.5 ml per 50 kg of bodyweight, do not use in animals less than 100 kg or over 500 kg in weight

#### Key Features of Cydectin 10% LA

- Long acting wormer injection,
- convenient,
- labour efficient,
- one shot wormer for animals over 100kg.
- A single 1ml per 100kg injection gives 120 days persistent protection against both stomach worms and lung worm,
- No need to re-administer the calves every 4 to 6 weeks.

PECIAI

# REDUCED TO €145

**CYDECTIN LA 50ML** 

WAS €160

## Summer Mastitis in Dry Cows and Heifers

Summer mastitis is a serious condition affecting dry cows and heifers, typically between late June and mid-September, when fly populations are at their peak.



### **Prevention Is Key**

You can greatly reduce the risk of summer mastitis by taking a few key preventative measures:

### 1. Fly Control

Use pour-on or spot-on products to keep flies at bay. Always follow the product instructions for best results.

Some farms use Stockholm tar on the teats, particularly in heifers. While effective, it needs to be applied weekly.

## **Fly Control**

### Worm & Fly Control



## **General Spray**

# THISTLEX ILTR For both creeping and spear thistle

# Dock Spray

#### **GRAZON PRO 1LTR**



Spot treatment of weeds in established grass control of broad-leaved dock, curled dock, creeping thistle, spear thistle, common nettle, bramble, broom and gorses





## **DB PLUS – LICENSED FOR USE IN RED CLOVER RESEEDS**

One of the very few products for weed control in newly seeded grasses and clover leys.

For the control of a wide range of broad-leaved weeds Rates of Application: 7 litres/hectare

Time of Application

- With red clover, some leaf deformity may be observed but subsequent growth will be normal.

- Direct re-seeds: Apply after the first trifoliate leaf has appeared on most of the clovers, ensuring that the weeds are at the susceptible stage.

### LIMITED AMOUNT AVAILABLE

## IBR – If You Could See the Losses, You'd Act Fast

#### BR: The Hidden Cost in Your Herd

Infectious Bovine Rhinotracheitis (IBR) is a serious threat to both herd health and farm profits. On average, it can lead to a loss of up to 336 litres of milk per cow each lactation converts to €168 per cow at current milk prices.

IBR is caused by bovine herpesvirus 1, a fast-spreading virus that moves from animal to animal or through contaminated clothing, equipment, and people. Infected cattle may show signs like eye and nasal discharge, fever, reduced appetite, breathing issues, milk drop, and even abortions.



#### Why Vaccination Makes Sense

Vaccination is a proactive way to protect your herd and your bottom line. With Rispoval® IBR, you're investing in up to 12 months of protection against IBR infection and the damaging effects of flare-ups on both health and productivity.

The figures speak for themselves. Based on average vaccine costs, vaccinating against IBR can deliver a return on investment of around 17:1. Even in herds with fewer flare ups or during periods of lower milk prices, the benefits remain strongly in favour of vaccination.





### Unique Protection With Rispoval®

Rispoval<sup>®</sup> vaccines are the only IBR vaccines licensed for use during an outbreak (for immediate protection) and the only ones approved to prevent IBR-related abortions. That means you're not just managing symptoms you're actively stopping the spread and safeguarding the productivity of your herd.

## Phone our team for prices OR advice on IBR vaccines today !

# **Dairy Equipment & Essentials**



Green paper 6pack



Blue paper 6pack





Magnetic teat stops Anti b

Anti bacterial soap 5ltr



## **Parlour Clothing**



# **Revilyt - Special Offer**

Dietetic electrolyte product with pectins and antioxidants ReviLyt is a dietetic complementary feed which stabilizes and restores the fluid and electrolyte balance in animals in case of risk of, during periods of, or recovery from digestive disturbance (diarrhoea).



Revilyt*		
Margay 2 rat.	Terrente	22 Agro
References.	Thur a	No.
C. Statements	22.	1000
Color Agenticates		Cara
	<ul> <li>State of the state of the state</li></ul>	

# BUY 2 for €79 & GET 1 FREE

# Silage Essentials





Silage Bags 50 pack



Rhino Bird NET 15 x 20m

## **Hoof Care**



€25

€0.85c



# **Meet Niall**

€340 205L

**Our Newest Team Member in Business Development** We're pleased to welcome Niall to the Buyrite Solutions team. Niall comes from a strong farming background, having grown up on a dairy farm in County Laois. He holds a degree in Agri-Business and has a genuine passion for all aspects of dairy farming. His first hand experience gives him a deep understanding of the day to day challenges faced by dairy farmers, which makes him a great fit for supporting our customers and their needs. We're delighted to have Niall on board - welcome to the team!